


CLINICAL EEG

ELECTROENCEPHALOGRAPHY




Author and Subject Index Volume 29, 1998

Index of Authors

- | | | | |
|-------------------------|---------------------------|----------------------------|---------------------------|
| Abe, Kazuo, 138 | Hashimoto, Takuma, 170 | Milstein, Victor, 49, 59 | Schur, P. H., 128 |
| Aksu, Aziz, 43 | Hayakawa, Y., 194 | Mineo, F., 142 | Seiden, Jessica A., 188 |
| Alioğlu, Zekeriya, 1:VI | Hughes, John R., 16, 106, | Miyamoto, Keiichi, 91 | Shaw, Gordon L., 109 |
| Arvanitis, S., 10 | 109, 183 | Mochizuki, Y., 7, 124, 194 | Shibata, Nobuyoshi, 91 |
| Belisle, Cynthia, 1 | Janakiramaiah, N., 197 | Moser, Hans, 177 | Shiraishi, Kimio, 96 |
| Bettoni, L., 142 | Jiang, Zheng-Yan, 170 | Motreja, S., 197 | Small, Joyce G., 49, 59 |
| Bortone, E., 142 | Jin, Y., 73 | Nakano, Misa, 138 | Soda, Toyoji, 96 |
| Bunney, Jr., W.E., 73 | Kalyoncu, Nuri, 1:VI | Nanbu, Yuko, 170 | Soylu, Cengiz, 1:VI |
| Buzio, S., 142 | Kaplan, Peter W., 120 | Napolitano, Barbara, 188 | Spencer, Donna W., 49 |
| Clarke, Simon, 37 | Kato, Toshihiko, 96 | Narayana Dutt, D., 197 | Stam, C. J., 10, 101 |
| Daaboul, Yaman, 109 | Keunen, R.W.M., 101 | Nicholl, J. S., 181 | Straumanis, J. J., 31 |
| Devaragudi, T. S., 197 | Khoshbin, S., 128 | Nicolai, J., 101 | Struve, Frederick A., 31, |
| Donati, Filippo, 177 | Klapper, Marietta H., 59 | Niedermeyer, E., 79, 163 | 67, 4: IV |
| Dosen, Ana, 37 | Koshino, Yoshifumi, 170 | Odabaşı, Zeki, 43 | Subbakrishna, D. K., 197 |
| Eura, Youichi, 96 | Kubota, Fumio, 91 | Oishi, M., 7, 124, 194 | Taber, Jesse, 106 |
| Fino, John J., 109 | Lazzaro, Ilario, 37 | Ono, Jiro, 138 | Takahashi, Akio, 91 |
| Fitz-Gerald, M. J., 31 | Li, Waiman, 37 | Özmenoğlu, Mehmet, 1:VI | Takasu, T., 7, 194 |
| Frank, Yitzchak, 188 | Lischka, A., 132 | Papanikolaou, E., 10 | Uppal, Harpreet, 16, 106 |
| Gangadhar, B. N., 197 | Liu, F. J., 146 | Patrick, G., 31, 67 | Vassella, Franco, 177 |
| Giorgi, C., 142 | Machiyama, Yukiteru, 91 | Plahn, Marianne, 37 | Vural, Okay, 43 |
| Glanz, B. I., 128 | Malloy, Frederick W., 59 | Potkin, S. G., 73 | Wada, Yuji, 170 |
| Glass, I., 19 | Mancia, D., 142 | Ramelli, Gian Paolo, 177 | Whitmont, Stephanie, 37 |
| Gökçil, Zeki, 43 | Manno, J., 31 | Reeves, Roy R., 67, 4: IV | Willis, J. K., 181 |
| Golay, Sara J., 59 | Matsuzaki, M., 194 | Rice, J., 181 | Wu, X., 146 |
| Gordon, Evian, 37 | Meares, Russell, 37 | Sandman, C. A., 73 | Yanagihara, Takehiko, 138 |
| Graf, M., 132 | Medlock, Carla E., 59 | Sangal, JoAnne, 1 | Yardim, Muzaffer, 43 |
| Groswasser, Z., 19 | Melli, G., 142 | Sangal, R. Bart, 1:V, 1 | Yu, M.X., 146 |
| Harada, Hirofumi, 96 | Micheloyannis, S., 10 | Sazbon, L., 19 | |

CLINICAL EEG

ELECTROENCEPHALOGRAPHY



Author and Subject Index Volume 29, 1998

Index of Authors

- | | | | |
|-------------------------|---------------------------|----------------------------|---------------------------|
| Abe, Kazuo, 138 | Hashimoto, Takuma, 170 | Milstein, Victor, 49, 59 | Schur, P. H., 128 |
| Aksu, Aziz, 43 | Hayakawa, Y., 194 | Mineo, F., 142 | Seiden, Jessica A., 188 |
| Alioğlu, Zekeriya, 1:VI | Hughes, John R., 16, 106, | Miyamoto, Keiichi, 91 | Shaw, Gordon L., 109 |
| Arvanitis, S., 10 | 109, 183 | Mochizuki, Y., 7, 124, 194 | Shibata, Nobuyoshi, 91 |
| Belisle, Cynthia, 1 | Janakiramaiah, N., 197 | Moser, Hans, 177 | Shiraishi, Kimio, 96 |
| Bettoni, L., 142 | Jiang, Zheng-Yan, 170 | Motreja, S., 197 | Small, Joyce G., 49, 59 |
| Bortone, E., 142 | Jin, Y., 73 | Nakano, Misa, 138 | Soda, Toyoji, 96 |
| Bunney, Jr., W.E., 73 | Kalyoncu, Nuri, 1:VI | Nanbu, Yuko, 170 | Soylu, Cengiz, 1:VI |
| Buzio, S., 142 | Kaplan, Peter W., 120 | Napolitano, Barbara, 188 | Spencer, Donna W., 49 |
| Clarke, Simon, 37 | Kato, Toshihiko, 96 | Narayana Dutt, D., 197 | Stam, C. J., 10, 101 |
| Daaboul, Yaman, 109 | Keunen, R.W.M., 101 | Nicholl, J. S., 181 | Straumanis, J. J., 31 |
| Devaragudi, T. S., 197 | Khoshbin, S., 128 | Nicolai, J., 101 | Struve, Frederick A., 31, |
| Donati, Filippo, 177 | Klapper, Marietta H., 59 | Niedermeyer, E., 79, 163 | 67, 4: IV |
| Dosen, Ana, 37 | Koshino, Yoshifumi, 170 | Odabaşı, Zeki, 43 | Subbakrishna, D. K., 197 |
| Eura, Youichi, 96 | Kubota, Fumio, 91 | Oishi, M., 7, 124, 194 | Taber, Jesse, 106 |
| Fino, John J., 109 | Lazzaro, Ilario, 37 | Ono, Jiro, 138 | Takahashi, Akio, 91 |
| Fitz-Gerald, M. J., 31 | Li, Waiman, 37 | Özmenoğlu, Mehmet, 1:VI | Takasu, T., 7, 194 |
| Frank, Yitzchak, 188 | Lischka, A., 132 | Papanikolaou, E., 10 | Uppal, Harpreet, 16, 106 |
| Gangadhar, B. N., 197 | Liu, F. J., 146 | Patrick, G., 31, 67 | Vassella, Franco, 177 |
| Giorgi, C., 142 | Machiyama, Yukiteru, 91 | Plahn, Marianne, 37 | Vural, Okay, 43 |
| Glanz, B. I., 128 | Malloy, Frederick W., 59 | Potkin, S. G., 73 | Wada, Yuji, 170 |
| Glass, I., 19 | Mancia, D., 142 | Ramelli, Gian Paolo, 177 | Whitmont, Stephanie, 37 |
| Gökçil, Zeki, 43 | Manno, J., 31 | Reeves, Roy R., 67, 4: IV | Willis, J. K., 181 |
| Golay, Sara J., 59 | Matsuzaki, M., 194 | Rice, J., 181 | Wu, X., 146 |
| Gordon, Evian, 37 | Meares, Russell, 37 | Sandman, C. A., 73 | Yanagihara, Takehiko, 138 |
| Graf, M., 132 | Medlock, Carla E., 59 | Sangal, JoAnne, 1 | Yardim, Muzaffer, 43 |
| Groswasser, Z., 19 | Melli, G., 142 | Sangal, R. Bart, 1:V, 1 | Yu, M.X., 146 |
| Harada, Hirofumi, 96 | Micheloyannis, S., 10 | Sazbon, L., 19 | |

Index of Subjects

- Absence seizures** and, concomitance of childhood
 absence epilepsy and Rolandic epilepsy, 177-180
 —frontal lobe epilepsy, 163-169
 —frontal lobe functions, 79-90
- Age factor** and, ADHD in adolescents, QEEG, 37-42
 —characters of Chinese words, ERP, 146-152
 —learning and attentional abnormalities, electrophysiological changes, 188-193
 —P300 latency and age, quadratic regression, 1-6
 —vertex sharp transient, development, 183-187
- Aggression** and, frontal lobe functions, 79-90
- Alpha rhythm** and, coherence analysis during olfactory stimulation, 96-100
 —Mozart effect on epileptiform activity, 109-119
 —photoc driving in schizophrenics, with clozapine, 73-78
 —power spectrum values in mental arithmetic tasks, 10-15
 —QEEG in adolescent ADHD, 37-42
 —QEEG in mania, 59-66
- Alzheimer's disease** and, CNV and regional cerebral blood flow, 124-127
 —nonlinear EEG dynamics, 155
 —P300, neurotransmitters in the CSF, 7-9
 —wavelet analysis of flash visual EP, 54
- Antidepressant medication** and, predictors of differential response, 153
 —See also Drugs
- Apathy** and, frontal lobe functions, 79-90
- Asymmetry**, EEG, and, schizophrenia, 57
 —See also Coherence analysis
- Atonic seizures** and, frontal lobe epilepsy, 163-169
- Attention** and, frontal lobe functions and dysfunctions, 79-90
 —learning abnormalities, ERP to an oddball paradigm, function of age, 188-193
 —See also Attention deficit hyperactivity disorder
- Attention deficit hyperactivity disorder** and, ERP to an oddball paradigm, function of age, 188-193
 —QEEG, 158
 —QEEG in adolescents, 37-42
- Auditory evoked potential** and, P300 latency and age, 1-6
 —See also Evoked potential
- Benign childhood epilepsy** and, Rolandic spikes, 132-137
- Beta activity** and, coherence, analysis during olfactory stimulation, 96-100
 —power spectrum values in mental arithmetic tasks, 10-15
 —QEEG in adolescent ADHD, 37-42
 —QEEG in mania, 59-66
- Bipolar disorder** and, P300, manic phase and in remission, 162
 —topographic EEG studies, 59-66
 —See also Depression
- Blindness, cortical**, and, hypercalcemia, 120-123
- Book reviews**, 4-VI
- Brain death** and, EEG changes during cardiac arrest, 16-18
- Brain mapping**, See QEEG
- Brain tumor** and, dipole tracing method, epileptic foci, 91-95
- Carbamazepine** and, topographic EEG in mania, 59-66
- Cardiac arrest** and, EEG changes, 16-18
- Central region** and, motor function, 79-90
- Centrottemporal spikes** and, concomitance of childhood absence epilepsy and Rolandic epilepsy, 177-180
 —topographical EEG analysis, 132-137
- Cerebral blood flow** and, contingent negative variation, 124-127
- Cerebral infarction** and, hypercalcemia with seizures, 120-123
- Chaos theory** and, nonlinear dynamical analysis of PLEDs, 101-105
- Children** and, absence epilepsy and Rolandic epilepsy, concomitance, 177-180
 —development of vertex sharp transient, 183-187
 —P300 latency and age, 1-6
- Chinese words** and, ERP of characters, compared with tone and picture stimuli in adolescents and aged persons, 146-152
- Clozapine** and, schizophrenia, EEG photoc driving, 73-78
- Cocaine** and, abusers with HIV, EEG differences, 58
 —rest and sleep deprived EEG in abusers, 160
 —sensory gating in paranoia, 157
- Cognitive function** and, bipolar disorder, P300, 162
 —characters of Chinese words, ERP, 146-152
 —diabetes mellitus, non-insulin-dependent, P300, 194-196
 —frontal lobe functions and dysfunctions, 79-90
 —interhemispheric coherence and long duration marijuana use, 31-36
 —latency and age, P300, 1-6
 —learning and attentional abnormalities, P300, 188-193
 —neurotransmitters in CSF, P300, 7-9
 —postcoma unawareness state, 19-30
 —schizophrenia, P300, 154, 161, 162
 —See also Dementia, Evoked potential
- Coherence analysis of EEG** and, long duration marijuana use, interhemispheric, 31-36
 —olfactory stimulation, 96-100
 —schizophrenics at rest and during photoc stimulation, interhemispheric, 170-176
- Coma** and, Mozart effect on epileptiform activity, 109-119
 —postcoma unawareness state, ERP, 19-30
 —SSPE clinical and EEG features, 43-48
- Complex partial seizure** and, frontal lobe epilepsy 163-169

- Computerized EEG** and destigmatizing effect, 156-157
 —nootropic treatment, 159-160
- Contingent negative variation** and, regional cerebral blood flow, 124-127
- Delta activity** and, band heterotopia, IRDA, 138-141
 —coherence analysis during olfactory stimulation, 96-100
 —Mozart effect on epileptiform activity, 109-119
 —power spectrum values in mental arithmetic tasks, 10-15
 —QEEG in mania, 59-66
 —SLE, 128-131
 —See also Slow activity
- Dementia** and, CNV and regional cerebral blood flow 124-127
 —nonlinear EEG dynamics, 155
 —P300, neurotransmitters in the CSF, 7-9
 —wavelet analysis of flash visual EP, 54
- Depression** and, ECT doses with EEG seizure, 197-199
 —melatonin to elicit sleep EEG, 49-53
 —predictors of differential response with medication, 153
- Desynchronization effect** and, differing mental arithmetic skills, EEG signal analysis, 10-15
- Diabetes mellitus** and, P300, non-insulin-dependent, 194-196
- Dipole tracing method** and, epileptic foci in brain tumor patient with olfactory seizures, 91-95
- Drugs** and, antidepressants, predictors of response, 153
 —cocaine abusers, 58, 157, 160
 —magnesium sulfate and hypercalcemia with seizures, 120-123
 —marijuana, long term use, 31-36
 —melatonin, sleep EEG induction, 49-53
 —naproxen overdose, 142-145
 —neurotransmitters in CSF, 7-9
 —nicotine, mood ratings and QEEG, 157
 —photoc driving in schizophrenia, 73-66
 —topographic EEG in mania, 59-66
 —Ubiquinol, quantified pharmaco EEG, 160
- Eclampsia** and, hypercalcemia with seizures and blindness, 120-123
- EEG reports** and, principles for writing reports, 56-57
- Electro-cerebral silence** and, EEG changes during cardiac arrest, 16-18
- Electroconvulsive therapy** and, electrophysiological effects, 155-156
 —high and low doses with EEG seizures, 197-199
 —seizures, therapeutic relevance of EEG measures, 153
- Electrocorticography** and, dipole tracing method, epileptic foci in brain tumor patient, 91-95
- Epilepsy** and, concomitance of childhood absence and Rolandic seizures, 177-180
 —dipole tracing method of foci in brain tumor patient, 91-95
 —doses with ECT, EEG seizure, 197-199
 —frontal lobe, the next frontier, 163-169
 —hypercalcemia, 120-123
 —IRDA with band heterotopia, 138-141
 —Mozart effect, 109-119
 —SSPE, 43-48
 —status epilepticus, nonconvulsive, 161
 —systemic lupus erythematosus, 128-131
 —topographical analysis of Rolandic spikes, 132-137
 —TRI-PLEDs, 106-108, 4:V
- Event-related potential**, See Evoked potential
- Evoked potential** and, bipolar and schizoaffective disorder, P300, 162
 —ERPs of characters of Chinese words, compared with tone and picture stimuli, 146-152
 —latency and age, with quadratic regression, P300, 1-6
 —learning and attentional abnormalities, P300, 188-193
 —neurotransmitters in the CSF, P300, 7-9
 —non-insulin-dependent diabetes mellitus, P300, 194-196
 —predicting outcome in schizophrenia, P300, 154
 —prolonged postcoma unawareness state, P3, 19-30
 —schizophrenia, P300, 161, 162
 —wavelet analysis, 54
- Focal motor seizures** and, frontal lobe epilepsy, 163-169
- Frontal lobe** and, cerebral blood flow, with CNV, 124-127
 —epilepsy, the next frontier, 163-169
 —functions and dysfunctions, 57-58, 79-90
- Functional organization** and, coherence, interhemispheric EEG in schizophrenics, during rest and photic stimulation, 170-176
 —frontal lobe functions and dysfunctions, 79-90
- Haloperidol** and, schizophrenia, photic driving, 73-78
 —topographic EEG studies in mania, 59-66
- Headache** and, QEEG therapy response, 158-159
- Herzog, Robert H. Sr.**, In Memoriam, 4:III
- Heterotopia, band** and, intermittent rhythmic delta activity, 138-141
- HIV** and, EEG differences in cocaine abusers, 58
- Hydrochloric acid** and, neurological findings after inhalation with sodium hypochlorite, 1:VI
- Hypercalcemia** and, seizures and blindness, 120-123
- Hyperglycemia** and, P300, treatment in non-insulin-dependent diabetes mellitus, 194-196
- Hyperventilation** and, Rolandic spikes, effect on frequency, 181-182
 —QEEG, 159
- Infants** and, development of vertex sharp transient, 183-187
- Intermittent rhythmic delta activity** and, band heterotopia, 138-141
- K-complex** and, development of vertex sharp transient, 183-187
- Learning disabilities** and, ERP to an oddball paradigm, function of age, 188-193
 —See also ADHD

- Lennox-Gastaut syndrome** and, frontal lobe epilepsy, 163-169
- Lithium** and, topographic EEG studies of mania, 59-66
- Lysine** and, P300, neurotransmitters in the cerebrospinal fluid, 7-9
- Magnesium sulfate** and, hypercalcemia with seizures and blindness, 120-123
- Mania** and, topographic EEG studies, 59-66
—P300, 162
- Marihuana** and, possible EEG sequelae in subjects with very long duration use, topographic QEEG analyses, 31-36
- Mathematics** and, EEG signal analysis and desynchronization effect, 10-15
- Melatonin** and, inducing sleep EEG, 49-53
- Memory** and, frontal lobe functions and dysfunctions, 79-90, 163-169
—See also Cognitive function, Dementia
- MHPG** and, P300, neurotransmitters in the CSF, 7-9
- Motor action** and, frontal lobe, 79-90, 163-169
- Mozart effect** and, epileptiform activity, 109-119
- Music** and, Mozart effect on epileptiform activity, 109-119
—neurophysiological basis in spacial-temporal reasoning, 55
—musicogenic epilepsy, 55-56
- Myoclonic epilepsy** and, frontal lobe epilepsy, 163-169
—fulminant SSPE, 43-48
- Naproxen** and, overdose, with triphasic waves, 142-145
- Nicotine** and, QEEG, effects on mood ratings in smokers, 157
- Nonlinear dynamical analysis** and, PLEDs, 101-105
- Norepinephrine** and, P300, neurotransmitters in the cerebrospinal fluid, 7-9
- Olfaction** and, coherence analysis of EEG, 96-100
—seizures, dipole tracing method, foci in brain tumor patient, 91-95
- Paranoid schizophrenia** and, interhemispheric EEG coherence, 170-176
—See also Schizophrenia
- Periodic lateralized epileptiform discharges** and, hypercalcemia, 120-123
—Mozart effect, 109-119
—nonlinear dynamical analysis, 101-105
—TRI-PLEDs, 106-108, 4:V
—SSPE, slow waves, 43-48
- Photic stimulation** and, driving, elicitation with eyes open and closed, 58
—driving, in schizophrenics following clozapine treatment, 73-78
—interhemispheric EEG coherence in schizophrenia, 170-176
- Polysomnography** and, REM latency, 157-158
- Prefrontal epilepsy** and, frontal lobe, the next frontier, 163-169
- Primary generalized epilepsy** and, frontal lobe
—See also Epilepsy
- Psychiatric disorder** and, ECT doses with EEG seizure, 197-199
—EEG in chaotic patients, 156
—EEG, QEEG and EP measures, 153-162
—interhemispheric EEG coherence in schizophrenics, 170-176
—melatonin to induce sleep EEG, 49-53
—photic driving following clozapine treatment, 73-78
—research with analog EEG data, 161
—slow potential interhemispheric asymmetry, 57
—topographic EEG studies of mania, 59-66
- P300**, See Cognitive function, Evoked potential
- Quantitative EEG (QEEG)** and, adolescent Attention Deficit Hyperactivity Disorder, 37-42
—ADHD and ADD, 158
—cognitive event-related potentials in prolonged postcoma unawareness state, 19-30
—hyperventilation response, 159
—mania, 59-66
—marihuana, very long duration use, 31-36
—mood ratings in cigarette smokers, 157
—Mozart effect on epileptiform activity, 109-119
—multimodality registration, 57
—prediction of headache therapy response, 158-159
—prediction of treatment outcome in psychiatric and neurological patients, 154
—Q10 coenzyme, pharmac EEG, 160
—questionnaire for subjects undergoing research, 67-72
—statistical rigor, 1:V
- Questionnaire** and, QEEG, subjects undergoing research studies, 67-72
- REM** and, polysomnography, 157-158
—See also Sleep
- Risperidone** and, topographic EEG studies of mania, 59-66
- Rolandic epilepsy** and, concomitance with childhood absence epilepsy, 177-180
—hyperventilation, effect on frequency of spikes, 181-182
—topographical EEG analysis of spikes, 132-137
- Schizophrenia** and, interhemispheric EEG coherence, 170-176
—melatonin for sleep EEG, 49-53
—P300, EP, auditory, 161
—P300, predicting clinical outcome, 154, 162
—slow potential interhemispheric asymmetry, 57
—See also Psychiatric disorder
- Secobarbital** and, inducing sleep EEG with melatonin, 49-53
- Sharp waves** and, Mozart effect, 109-119
—SLE, 128-131
—See also Periodic lateralized epileptiform discharges, Spikes

Sleep and, cocaine abusers, 160

- development of vertex sharp transient, 183-187
- melatonin for induction, 49-53
- perception during brief daytime episodes, 162
- polysomnography, 157-158

Slow activity and, band heterotopia, IRDA, 138-141

- coherence analysis during olfactory stimulation, 96-100
- fulminant SSPE, 43-48
- inhalation of NaOCl and HCl, 1:VI
- marihuana use, very long duration, 31-36
- Mozart effect, 109-119
- naproxen overdose, 142-145
- photoc driving in schizophrenia, 73-78
- power spectrum values in mental arithmetic tasks, 10-15
- QEEG in adolescent ADHD, 37-42
- QEEG in mania, 59-66
- SLE, laterality, 128-131

Sodium hypochlorite and, neurological findings after inhalation with hydrochloric acid, 1:VI**Spike and wave discharges** and, concomitance of childhood absence epilepsy and Rolandic epilepsy, 3/sec., 177-180

- frontal lobe epilepsy, 3/sec., 163-169

Spikes and, concomitance of childhood absence epilepsy and Rolandic epilepsy, 177-180

- dipole tracing method and foci in brain tumor patient with olfactory seizures, 91-95
- frontal lobe epilepsy, the next frontier, 163-169
- Mozart effect on epileptiform activity, 109-119
- Rolandic, effect of hyperventilation, 181-182
- Rolandic, topographical analysis, 132-137
- See also Periodic lateralized epileptiform discharges

Startle epilepsy and, frontal lobe seizures, 163-169**Status epilepticus** and, Mozart effect, 109-119

- nonconvulsive, progression of EEG findings, 161

Subacute sclerosing panencephalitis and, clinical and EEG features, fulminant, 43-48**Symmetry** and, EEG pattern analysis, 55

- schizophrenia, 57
- See also Coherence analysis

Systemic lupus erythematosus and, EEG abnormalities, 128-131**Temporal dipole tracing method** and, epileptic foci in brain tumor patient, 91-95**Temporal region** and, Mozart effect on epileptiform activity, 109-119

- QEEG in mania, 59-66
- Rolandic spikes, 132-137, 177-180
- SLE, slowing and sharp waves, 128-131

Theta activity and, coherence analysis during olfactory stimulation, 96-100

- long duration marihuana use, 31-36
- Mozart effect on epileptiform activity, 109-119
- photoc driving in schizophrenia, 73-78
- power spectrum values in mental arithmetic tasks, 10-15
- QEEG in adolescent ADHD, 37-42
- QEEG and mania, 59-66
- SLE, laterality, 128-131
- See also Slow activity

Topographic mapping and, coherence analysis during olfactory stimulation, 96-100

- EEG studies in mania, 59-66
- Rolandic spikes, 132-137
- schizophrenia with clozapine treatment, 73-78
- See also QEEG

Triphasic waves and, naproxen overdose, 142-145**TRI-PLEDs** and, a case report, 106-108

- letter to the Editor, 4: V

Tyrosine and, P300, neurotransmitters in the cerebrospinal fluid, 7-9**Ubiquinol** and, quantified pharmaco EEG, 160**Vascular disorder** and, contingent negative variation, 124-127

- vasoconstriction with hypercalcemia and seizures, 120-123

Vertex sharp transient and, development in infants and children, 183-187**Visual disturbance** and, blindness, with hypercalcemia, 120-123

- fulminant SSPE, clinical and EEG features, 43-48

Visual evoked potential and, P300 latency and age, 1-6

- wavelet analysis, 54
- See also Evoked potential

Xenon computed tomography and, vascular dementia, CNV, 124-127

